

PRICE LIST

2026

SUPERAUTO MACHINES
TRADITIONAL MACHINES



Ed. 01/2026 - Validity from 1 January 2026

GAGGIA
MILANO

SUPERAUTO MACHINES



PRICE LIST 2026

Ed. 01/2026 - Validity from 1 January 2026

G 700



G 700 2ES3RM/D

CODE 9P0702

Price list: € 14,990

KEY FEATURES

- Fresh milk: EvoMilk Technology + DualMilk Technology
- Rotary pump
- 2 grinders + 1 soluble
- Z4000 7-14 g inox

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm / 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 3200 W |
| Coffee bean hopper capacity | 2 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1.5 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 10" full-HD touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 300 |
| Main water connection | yes (external water tank compatible) |

G 700



G 700 2ES3RM/NE

CODE 9P0704

Price list: € 14,900

KEY FEATURES

- Fresh milk: EvoMilk Technology
- Rotary pump
- 2 grinders + 1 soluble
- Z4000 10-21 g inox

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm / 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 3200 W |
| Coffee bean hopper capacity | 2 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1.5 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 10" full-HD touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 300 |
| Main water connection | yes (external water tank compatible) |

G 700



G 700 2ES3RM/NE

CODE 9P0705

Price list: € 14,900

KEY FEATURES

- Fresh milk: EvoMilk Technology
- Rotary pump
- 2 grinders + 1 soluble
- Z4000 7-14 g inox

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm / 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 3200 W |
| Coffee bean hopper capacity | 2 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1.5 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 10" full-HD touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 300 |
| Main water connection | yes (external water tank compatible) |

G 700



G 700 2ES3RAS/EU

CODE 9P0712

Price list: €13,250

KEY FEATURES

- PowerSteam to heat and foam the milk
- Rotary pump
- 2 grinders + 1 soluble
- Z4000 10-21 g inox

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm / 60 kg |
| Voltage | 400-415 V / 50 Hz |
| Maximum absorbed power | 3200 W |
| Coffee bean hopper capacity | 2 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1.5 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | 1500 cc |
| Steam wand | yes |
| Hot water wand | yes |
| Interface | 10" full-HD touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 300 |
| Main water connection | yes (external water tank compatible) |

G 700



G 700 ES3RM/D

CODE 9P0700

Price list: € 14,220

KEY FEATURES

- Fresh milk: EvoMilk Technology
- Rotary pump
- 1 grinder + 2 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm / 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 3200 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 2 x 1.5 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 10" full-HD touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 300 |
| Main water connection | yes (external water tank compatible) |

G 700



G 700 ES3RM/I

CODE 9P0701

Price list: € 14,220

KEY FEATURES

- Fresh milk: EvoMilk Technology
- Rotary pump
- 1 grinder + 2 solubles
- Z4000 6-8 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm / 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 3200 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 2 x 1.5 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 10" full-HD touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 300 |
| Main water connection | yes (external water tank compatible) |

G 500 Kalea LatteVelluto

G 500 Kalea 2ES3R10V/EU



CODE 9P0505

Price list: € 12,610

KEY FEATURES

- Fresh milk: LatteVelluto Technology
- Rotary pump
- 2 grinders + 1 soluble
- Z4000 7-14 g
- Premium aesthetic

SPECIFICATIONS

| | |
|-----------------------------------|---------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2900 W - 3200 W |
| Coffee bean hopper capacity | 2 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1.5 lt |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | 800 cc |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 10" touchscreen |
| Decaf chute | yes |
| Doser | no |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 250 |

| FURTHER CONFIGURATIONS | Code | Price |
|--------------------------------|--------------|----------|
| Steam wand | 9P0519 | € 12,930 |
| Autosteam + cold water by pass | 9P0506 | € 13,230 |
| Z4000 21 g | 9P0521 | € 12,760 |
| Z4000 21 g + steam wand | upon request | --- |
| Z4000 21 g + AutoSteam | upon request | --- |

| ADDITIONAL EQUIPMENT | | Price |
|----------------------|--------------|--------|
| Doser | upon request | + € 50 |
| DualMilk (951719) | upon request | € 300 |
| Z4000 other type | upon request | + € 50 |
| Bypass cold water | upon request | € 150 |

G 500 Kalea LatteVelluto

G 500 Kalea ES3R10V/IT



CODE 9P0510

Price list: € 12,200

KEY FEATURES

- Fresh milk: LatteVelluto Technology
- Rotary pump
- 1 grinder + 2 solubles
- Z4000 6-8 g
- Premium aesthetic

SPECIFICATIONS

| | |
|-----------------------------------|---------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2900 W - 3200 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 2 x 1.5 lt |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | 800 cc |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 10" touchscreen |
| Decaf chute | no |
| Doser | yes |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 250 |

| ADDITIONAL EQUIPMENT | | Price |
|---------------------------------------|--------------|---------|
| Z4000 other type | upon request | + € 50 |
| Z4000 21 g | upon request | + € 200 |
| Bypass cold water | upon request | + € 150 |
| Steam wand | upon request | + € 300 |
| AutoSteam (alternative to steam wand) | upon request | + € 600 |
| DualMilk (951719) | upon request | € 300 |

G 500 Kalea Plus

G 500 Kalea 2ES3R7M/EU



CODE 9P0504

Price list: €11,440

KEY FEATURES

- Fresh milk: PrimeMilk Technology
- Rotary pump
- 2 grinders + 1 soluble
- Z4000 7-14 g
- Premium aesthetic

SPECIFICATIONS

| | |
|-----------------------------------|---------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2900 W - 3200 W |
| Coffee bean hopper capacity | 2 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1.5 lt |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | 800 cc |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 7" touchscreen |
| Decaf chute | yes |
| Doser | no |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 250 |

| FURTHER CONFIGURATIONS | Code | Price |
|---------------------------------------|-------------|----------|
| Steam wand | 9P0501 | € 11,770 |
| Z4000 21 g + steam | 9P0500 | € 11,840 |
| AutoSteam (alternative to steam wand) | coming soon | --- |

| ADDITIONAL EQUIPMENT | | Price |
|----------------------|--------------|---------|
| Z4000 other type | upon request | + € 50 |
| Touch 10" | upon request | + € 300 |
| Doser | upon request | + € 50 |
| Bypass cold water | upon request | + € 150 |

G 500 Kalea Plus



G 500 Kalea ES3R7M/EU

CODE 9P0507

Price list: € 11,020

KEY FEATURES

- Fresh milk: PrimeMilk Technology
- Rotary pump
- 1 grinder + 2 solubles
- Z4000 7-14 g
- Premium aesthetic

SPECIFICATIONS

| | |
|-----------------------------------|---------------------------|
| Dimensions (W x D x H) and weight | 368 x 586 x 783 mm 60 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2900 W - 3200 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 2 x 1.5 lt |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | 800 cc |
| Steam wand | no |
| Hot water wand | yes |
| Interface | 7" touchscreen |
| Decaf chute | yes |
| Doser | no |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 250 |

| FURTHER CONFIGURATIONS | Code | Price |
|---------------------------------------|-------------|----------|
| Z4000 SE (up to 8 g) | 9P0508 | € 10,510 |
| Steam wand | 9P0520 | € 11,320 |
| AutoSteam (alternative to steam wand) | coming soon | € 11,620 |

| ADDITIONAL EQUIPMENT | | Price |
|----------------------|--------------|---------|
| Z4000 other type | upon request | + € 50 |
| Touch 10" | upon request | + € 300 |
| Bypass cold water | upon request | + € 150 |

G 300 Krea



G 300 Krea ES4R F-D/Q

CODE 9P0300

Price list: € 5,840

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 3 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 770 mm / 41 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1 l - 2 x 1.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 10" touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |

G 300 Krea



G 300 Krea ES4R I-E/Q

CODE 9P0301

Price list: € 5,840

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 3 solubles
- Z4000 6-8 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 770 mm / 41 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1 l - 2 x 1.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 10" touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |

G 300 Krea



G 300 Krea ES4R EU/Q

CODE 9P0304

Price list: € 5,840

KEY FEATURES

- Powdered Milk Technology
 - Vibration pump
 - 1 grinder + 3 solubles
 - Z4000 8-16 g
-

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 770 mm / 41 kg |
| Voltage | 230-240 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1 l - 2 x 1.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 10" touchscreen |
| Number of direct selections | up to 16 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |

G 300 Krea Prime

G 300 Krea Prime ESB4SR/DKQ

CODE 9P0380

Price list: € 5,010

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 3 solubles
- Z4000 NE 8-16 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 750 mm / 41 kg |
| Voltage | 230-240 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1 l - 2 x 1.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | capacitive keypad - 4.3" display |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |



G 300 Krea Prime

G 300 Krea Prime ES4SR/I-EQ

CODE 9P0381

Price list: € 5,010

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 3 solubles
- Z4000 SE 6-8 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 750 mm / 41 kg |
| Voltage | 230-240 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1 l - 2 x 1.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | capacitive keypad - 4.3" display |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |



G 300 Krea Prime

G 300 Krea Prime ESB4SR/F-DQ

CODE 9P0383

Price list: € 5,010

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 3 solubles
- Z4000 HO 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 750 mm / 41 kg |
| Voltage | 230-240 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | 1 x 1.2 kg |
| Soluble hoppers capacity | 1 x 1 l - 2 x 1.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | capacitive keypad - 4.3" display |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |



G 300 Krea Prime

G 300 Krea Prime IN5SR/I-EQ

CODE 9P0390

Price list: € 4,260

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 5 solubles

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 770 mm / 41 kg |
| Voltage | 230-240 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | no |
| Soluble hoppers capacity | 4 x 1.9 l + 1 x 1 l |
| Coffee boiler capacity | no |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | capacitive keypad - 4.3" display |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |



G 300 Krea Prime

G 300 Krea Prime IN5SR/DQ

CODE 9P0391

Price list: € 4,260

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 5 solubles

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 410 x 582 x 770 mm / 41 kg |
| Voltage | 230-240 V / 50 Hz |
| Maximum absorbed power | 1950 W |
| Coffee bean hopper capacity | no |
| Soluble hoppers capacity | 4 x 1.9 l + 1 x 1 l |
| Coffee boiler capacity | no |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | capacitive keypad - 4.3" display |
| Number of direct selections | up to 10 choices per page |
| Recommended output (cups/day) | 150 |
| Main water connection | yes (external water tank compatible) |





G 100 2ES3RM/EUQ

CODE 9P0818

Price list: € 6,180

KEY FEATURES

- Fresh milk: PrimeMilk Technology
- Vibration pump
- 2 grinder + 1 soluble
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 2 x 0.6 kg |
| Soluble hoppers capacity | 1 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | 500 cc |
| Steam wand | on request (instead of hot water wand) |
| Hot water wand | yes |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |



G 100 ES3RM/EUQ

CODE 9P0814

Price list: € 5,940

KEY FEATURES

- Fresh milk: PrimeMilk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | 500 cc |
| Steam wand | on request (instead of hot water wand) |
| Hot water wand | yes |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

G 100



G 100 ES3RM/IQ

CODE 9P0816

Price list: € 5,940

KEY FEATURES

- Fresh milk: PrimeMilk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 6-8 g

SPECIFICATIONS

| | |
|-----------------------------------|--|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | 500 cc |
| Steam wand | on request (instead of hot water wand) |
| Hot water wand | yes |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

G 100



G 100 ES2RM/EUQ

CODE 9P0813

Price list: € 5,450

KEY FEATURES

- Fresh milk: PrimeMilk Technology
- Vibration pump
- 1 grinder + 1 soluble
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 1 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | 500 cc |
| Steam wand | on request (instead of hot water wand) |
| Hot water wand | yes |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

G 100



G 100 ES3R/I-EQ

CODE 9P0808

Price list: € 4,670

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 6-8 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |



G 100 ES3T/FQ

CODE 9P0806

Price list: € 4,570

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|----------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | no |

G 100



G 100 ES3R/FQ

CODE 9P0803

Price list: € 4,510

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

G 100



G 100 ES3T/EUQ

CODE 9P0807

Price list: € 4,360

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|----------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | no |

G 100



G 100 ES3BR/EUQ

CODE 9P0810

Price list: € 4,360

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

G 100



G 100 ES3R/EUQ

CODE 9P0802

Price list: € 4,310

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 2 solubles
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 2 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

G 100



G 100 ES2R/I-EQ

CODE 9P0801

Price list: € 4,130

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 1 soluble
- Z4000 6-8 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 1 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

G 100



G 100 ES2R/FQ

CODE 9P0800

Price list: € 4,020

KEY FEATURES

- Powdered Milk Technology
- Vibration pump
- 1 grinder + 1 soluble
- Z4000 7-14 g

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 308 x 570 x 629 mm / 29 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1900 W |
| Coffee bean hopper capacity | 1 x 0.6 kg |
| Soluble hoppers capacity | 1 x 0.9 l |
| Coffee boiler capacity | 500 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 7" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 100 |
| Main water connection | yes (external water tank compatible) |

GS MasterBrew-2B2C H 5 EU Q



CODE 9A0640

Price list: €7,760

KEY FEATURES

- Powdered Milk Technology
 - Rotative pump
 - 2 grinders + 3 solubles
 - Z4000 7-14 g
-

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 450 x 525 x 870 mm / 62 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2000 W |
| Coffee bean hopper capacity | 2 x 2 kg |
| Soluble hoppers capacity | 3 x 2.7 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 12" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 250 |
| Main water connection | yes (external water tank compatible) |

GS MasterBrew

GS MasterBrew-B2C H 4 EU Q



CODE 9A0639

Price list: **€7,494**

KEY FEATURES

- Powdered Milk Technology
 - Rotative pump
 - 1 grinder + 3 solubles
 - Z4000 7-14 g
-

SPECIFICATIONS

| | |
|-----------------------------------|--------------------------------------|
| Dimensions (W x D x H) and weight | 450 x 525 x 870 mm / 62 kg |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2000 W |
| Coffee bean hopper capacity | 1 x 2 kg |
| Soluble hoppers capacity | 3 x 2.7 l |
| Coffee boiler capacity | 800 cc |
| Steam boiler capacity | no |
| Steam wand | no |
| Interface | 12" touchscreen |
| Number of direct selections | up to 15 choices per page |
| Recommended output (cups/day) | 250 |
| Main water connection | yes (external water tank compatible) |

ACCESSORIES

G 700

| | | |
|--------|---|---------|
| 951697 | DOUBLE NOZZLE KIT FOR MILK DISPENSING | € 21 |
| 962969 | SELF-FEEDING WATER KIT (20 L TANK + FLOJET PUMP) | € 744 |
| 951707 | LATERAL PAYMENT MODULE | € 951 |
| 951693 | EXE PROTOCOL KIT FOR LATERAL PAYMENT MODULE | € 206 |
| 951700 | 4G EXPANSION KIT | € 270 |
| 951716 | ICE MAKER MODULE | € 5,682 |
| 962873 | 4.5 L FRIDGE WITH GLASS FRONT DOOR | € 1,781 |
| 962872 | 4.5 L FRIDGE WITH GLASS FRONT DOOR AND CUP WARMER ON TOP | € 2,255 |
| 960995 | 3.5 L + 3.5 L DUALMILK FRIDGE | € 1,423 |
| 951696 | KIT TO INSTALL THE FRIDGE ON THE LEFT | € 42 |
| 951670 | FLEXIBLE CLEANING KIT FOR THIRD-PARTY FRIDGES WITH ON-BOARD MILK SENSOR | € 116 |
| 951711 | DUALMILK INSTALLATION KIT DualMilk version | € 468 |
| 951712 | THIRD-PARTY KIT TO INSTALL DUALMILK FRIDGE ON THE LEFT/RIGHT DualMilk version | € 100 |
| 951713 | KIT TO INSTALL DUALMILK FRIDGE ON THE LEFT DualMilk version | € 50 |

G 500 Kalea

| | | |
|--------|---|---------|
| 962969 | SELF-FEEDING WATER KIT (20 L TANK + FLOJET PUMP) | € 744 |
| 951707 | LATERAL PAYMENT MODULE | € 951 |
| 951693 | EXE PROTOCOL KIT FOR LATERAL PAYMENT MODULE | € 206 |
| 951700 | 4G EXPANSION KIT | € 270 |
| 951716 | ICE MAKER MODULE | € 5,682 |
| 960993 | 7 L FRIDGE WITH GLASS FRONT DOOR AND CUP WARMER ON TOP | € 1,607 |
| 960994 | 7 L FRIDGE WITH GLASS FRONT DOOR | € 1,134 |
| 960990 | 7 L FRIDGE WITH STAINLESS STEEL DOOR (NO MILK SENSOR INSTALLED) | € 1,013 |
| 951691 | 4.5 L FRIDGE WITH GLASS FRONT DOOR AND CUP WARMER ON TOP | € 2,297 |
| 951692 | 4.5 L FRIDGE WITH GLASS FRONT DOOR | € 1,798 |
| 960995 | 3.5 L + 3.5 L DUALMILK FRIDGE | € 1,423 |
| 951695 | KIT TO INSTALL THE FRIDGE ON THE LEFT | € 42 |
| 951719 | DUALMILK INSTALLATION KIT DualMilk version | € 231 |

G 300 Krea

| | | |
|--------|--|---------|
| 962272 | WATER SELF-FEEDING KIT (NO TANK) 120V - 60HZ | € 168 |
| 962993 | WATER DISCHARGE KIT | € 81 |
| 960983 | TWO-LEVEL CUP WARMER (230V - 50HZ) | € 749 |
| 951688 | THREE-LEVEL CUP WARMER (230V - 50HZ) | € 952 |
| 951704 | 4G CONNECTIVITY KIT | € 205 |
| 9P0263 | SOLID WASTE DISCHARGE KIT | € 76 |
| 9P0261 | HYGIENE KIT | € 65 |
| 9P0264 | SHELF KIT FOR QUARTER SOLUBLE CANISTER | € 295 |
| 9P0262 | BEAN HOPPER CANISTER 2.2 KG | € 35 |
| 9P0250 | BASE CABINET WITH PAYMENT SYSTEMS PRE-ARRANGEMENT G 300 Krea | € 1,000 |
| 9P0251 | BASE CABINET G 300 Krea | € 745 |
| 962994 | BASE CABINET WITH PAYMENT SYSTEMS PRE-ARRANGEMENT G 300 Krea Prime | € 886 |
| 962995 | BASE CABINET G 300 Krea Prime | € 684 |
| 962273 | WATER SELF-FEEDING KIT (EP5 PUMP) | € 143 |
| 962255 | WATER SELF-FEEDING KIT (EP8 PUMP) | € 125 |

ACCESSORIES

G 100

| | | |
|--------|---|---------|
| 9P0203 | 1.1 KG COFFEE BEANS HOPPER | € 96 |
| 9P0205 | 1.8 L SOLUBLES HOPPER 1IN version | € 96 |
| 9P0206 | 1.8 L SOLUBLES HOPPER 2IN version | € 97 |
| 9P0202 | HOT WATER SPOUT KIT | € 115 |
| 9P0225 | COFFEE CAKES WASTE + LIQUID DISPOSAL KIT | € 102 |
| 9P0224 | LIQUID DISPOSAL KIT | € 95 |
| 9P0204 | SELF-FEEDING WATER KIT (20 L TANK WITH VIBRATION PUMP) | € 152 |
| 9P0226 | SELF-FEEDING WATER KIT (20 L TANK + FLOJET PUMP) | € 762 |
| 9P0217 | 5 L EXTERNAL TANK KIT | € 294 |
| 9P0215 | LATERAL PAYMENT MODULE | € 702 |
| 9P0221 | EXE PROTOCOL KIT FOR LATERAL PAYMENT MODULE | € 206 |
| 9P0212 | MDB PROTOCOL KIT FOR LATERAL PAYMENT MODULE | € 49 |
| 960993 | 7 L FRIDGE WITH GLASS FRONT DOOR AND CUP WARMER ON TOP | € 1,607 |
| 960994 | 7 L FRIDGE WITH GLASS FRONT DOOR | € 1,134 |
| 960990 | 7 L FRIDGE WITH STAINLESS STEEL DOOR (NO MILK SENSOR INSTALLED) | € 1,013 |
| 951691 | 4.5 L FRIDGE WITH GLASS FRONT DOOR AND CUP WARMER ON TOP | € 2,297 |
| 951692 | 4.5 L FRIDGE WITH GLASS FRONT DOOR | € 1,798 |
| 9P0210 | 4G KIT WITH SAFETY SWITCH | € 250 |
| 9P0211 | EQUIPPED BASE CABINET WITH WASTE CONTAINER (W 410 x D 570 x H 845 mm) | € 533 |
| 9P0213 | BASE CABINET (W 410 x D 570 x H 845 mm) | € 382 |
| 9P0214 | SHELF KIT FOR CABINET (W 720 mm) | € 467 |



G 700
with fridge code 962872



G 100
with fridge code 960993



G 100
with fridge code 960990

ACCESSORIES

GS MasterBrew

| | | |
|--------|------------------------------------|-------|
| 9A0675 | HYGIENE KIT GS MASTERBREW ESFB | € 78 |
| 9A0681 | HYGIENE KIT GS MASTERBREW ES | € 72 |
| 9A0682 | TEA BREWER KIT | € 618 |
| 9A0683 | TEA BREWER HYGIENE KIT | € 218 |
| 9A0676 | SUGAR EXTRA CANISTER KIT (1.5 KG) | € 222 |
| 9A0678 | POWDER EXTRA CANISTER KIT (1.5 KG) | € 373 |
| 9A0684 | EXTERNAL PAYMENT MODULE CABLES KIT | € 41 |
| 9A0680 | 4G KIT GS MASTERBREW | € 195 |
| 9A0686 | SOLID WASTE CONVEYOR KIT | € 135 |
| 9A0677 | SOLID-LIQUID WASTE KIT BC | € 238 |
| 9A0679 | LIQUID DRAIN KIT | € 31 |
| 9A0685 | DRAIN HOSE KIT | € 32 |
| 9A0670 | BASE CABINET GS MASTERBREW | € 926 |

COMPATIBLE WITH ALL MACHINES

CUP WARMER

| | | |
|--------|-------------------------------------|---------|
| 962883 | GLASS CUP WARMER (220-240V 50/60HZ) | € 1,576 |
|--------|-------------------------------------|---------|

CABINETS

| | | |
|--------|--|---------|
| 951689 | TROLLEY WOOD BASE CABINET, SINGLE DOOR (W 700 X D 600 X H 850 mm) | € 1,983 |
| 951690 | TROLLEY WOOD BASE CABINET, DOUBLE DOOR (W 1000 X D 600 X H 850 mm) | € 2,251 |



G 300
with cup warmer
code 962883



Trolley wood base
cabinet single door
code 951689



Trolley wood base
cabinet double door
code 951690

ACCESSORIES

COMPATIBLE WITH ALL MACHINES

KITS

| | | |
|--------|--------------------------------|-------|
| 9P0216 | SELF-ADJUSTING BLADE KIT ES SE | € 120 |
| 962265 | SELF-ADJUSTING GRINDING | € 109 |

WATER FILTERS

Brita

| | | |
|--------|---|---------|
| 969175 | PURITY C FILTER HEAD 0-70% G3/8" PACK 1 | € 66 |
| 969176 | PURITY C50 QUELL ST FILTER CARTRIDGE PACK 1 | € 59.50 |
| 969177 | PURITY C150 QUELL ST FILTER CARTRIDGE PACK 1 | € 88.50 |
| 969178 | PURITY C300 QUELL ST FILTER CARTRIDGE PACK 1 | € 132 |
| 969179 | PURITY C500 QUELL ST FILTER CARTRIDGE PACK 1 | € 203 |
| 969180 | PURITY C1100 QUELL ST FILTER CARTRIDGE PACK 1 | € 286 |
| 969182 | PURITY C500 FINEST CU PACK 1 | € 457 |
| 969183 | TEMPORARY HARDNESS TEST KIT | € 6.75 |
| 969184 | TOTAL WATER HARDNESS TEST KIT | € 10.10 |

BWT

| | | |
|--------|--|-------|
| 969159 | STANDARD FILTER HEAD | € 55 |
| 951681 | FILTER CARTRIDGE V SIZE | € 105 |
| 951683 | FILTER CARTRIDGE XL SIZE | € 210 |
| 951680 | STARTER KIT V SIZE (Head + Cartridge) | € 130 |
| 951682 | STARTER KIT XL SIZE (Head + Cartridge) | € 240 |

CLEANING

| | | |
|--------|--|------|
| 951694 | 100 MILK CLEANING TABLETS (8 g) - CLEANILK EVO | € 69 |
| 962962 | 100 BREWER CLEANING TABLETS | € 20 |

SELECTION & PAYMENT



BREASY

BREASY is a mobile free app available on iOS and Android platforms, which is fully integrated with Hi! Platinum, the innovative cashless payment system developed by Newis to be applied on the dedicated lateral payment module. This app is designed to simplify drink selection and digital payments, and to make them safer than ever before, delivering great benefits for both end users and operators.



COFFEE APPEAL

COFFEE APPEAL is a new user-friendly, free app from Newis, available for Apple and Android devices, which allows to select and customise your drinks directly from your smartphone, without touching the coffee machine. No account or personal data needed: just scan the QR Code on the coffee machine and the app will automatically connect to the machine via Bluetooth.

TELEMETRY SYSTEM



AMICLO

AMICLO is the Newis cloud software solution which allows to push content on new generation fully automatic coffee machines. AmiClo software full package is composed by Digital Signage (DS) and Content Management (CM). While the former allows to push playlists and manage screensaver for machines equipped with touchscreens, the latter gives the possibility to remotely download software, change User Interface and modify recipe parameters.



COFFEED

COFFEED is the new embedded telemetry solution developed by Newis for smart management of the entire machine estate. This is possible thanks to the real time data synchronization, which checks machines performance and status, cleaning cycles frequency, in-cup quality consistency and ingredients consumption.



GAGGIA
MILANO

TRADITIONAL MACHINES



PRICE LIST 2026

Ed. 01/2026 - Validity from 1 January 2026

LA VETRO PRO 2 GROUPS



CODE
MGV0926HPW

Price list: **5,074 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0926HPW - MGV0926NPW



CODE
MGV0926HPWM

Price list: **5,187 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0926HPWM - MGV0926NPWM

LA VETRO PRO 2 GROUPS



CODE
MGV0926HPWX

Price list: **5,250 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation
- With water mix

SPECIFICATIONS

| | |
|------------------------|----------------------------------|
| Dimensions (H x W x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● MGV0926HPWX - MGV0926NPWX |



CODE
MGV0926HPW SM

Price list: **5,792 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation
- AS - Autosteam

SPECIFICATIONS

| | |
|------------------------|--------------------------------------|
| Dimensions (H x W x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● MGV0926HPW SM - MGV0926NPW SM |

LA VETRO PRO 2 GROUPS TALL CUP



CODE
MGV0926HTPW

Price list: **5,228€**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0926HTPW - MGV0926NTPW



CODE
MGV0926HTPWM

Price list: **5,341€**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation

SPECIFICATIONS

| | |
|-------------------------|----------------------|
| Dimensions (H xW x D) t | 530 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0926HTPWM - MGV0926NTPWM

LA VETRO PRO 2 GROUPS TALL CUP



CODE
MGV0926HTPWS

Price list: **5,535 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- AS - Autosteam

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0926HTPWS - MGV0926NTPWS



CODE
MGV0926HTPWSM

Price list: **5,827 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation
- AS - Autosteam

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0926HTPWSM - MGV0926NTPWSM

LA VETRO PRO 2 GROUPS TALL CUP



CODE
MGV0926HTPWS2M

Price list: **6,300 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation
- AS - Auto steam 2.0

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3750 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0926HTPWS2M - MGV0926NTPWS2M

LA VETRO PRO 3 GROUPS



CODE
MGV0936HPW

Price list: **5,894 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HPW - MGV0936NPW



CODE
MGV0936HPWM

Price list: **5,971 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HPWM - MGV0936NPWM

LA VETRO PRO 3 GROUPS



CODE
MGV0936HPWX

Price list: **6,150 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation
- With water mix

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HPWX - MGV0936NPWX



CODE
MGV0936HPWSM

Price list: **6,509 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
 - Quarter turn tap mechanism
 - LED in side panels with RGB colour
 - EcoB - Boiler isolation
 - AS - Autosteam

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HPWSM - MGV0936NPWSM

LA VETRO PRO 3 GROUPS TALL CUP



CODE
MGV0936HTPW

Price list: **5,997 €**

KEY FEATURES

Keypad + TFT 2,8" display

- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HTPW - MGV0936NTPW



CODE
MGV0936HTPWM

Price list: **6,150 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HTPWM - MGV0936NTPWM

LA VETRO PRO 3 GROUPS TALL CUP



CODE
MGV0936HTPWS

Price list: **6,345 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- AS - Autosteam

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HTPWS - MGV0936NTPWS



CODE
MGV0936HTPWSM

Price list: **6,714 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation
- AS - Autosteam

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HTPWSM - MGV0936NTPWSM

LA VETRO PRO 3 GROUPS TALL CUP



CODE
MGV0936HTPWS2M

Price list: **6,950 €**

KEY FEATURES

- Keypad + TFT 2,8" display
- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour
- EcoB - Boiler isolation
- AS - Autosteam 2.0

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4850 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HTPWS2M - MGV0936NTPWS2M

LA VETRO 2 GROUPS



CODE
MGV0925H

Price list: **4,305 €**

KEY FEATURES

- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism

SPECIFICATIONS

| | |
|------------------------|----------------------------|
| Dimensions (H xW x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 2800 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● MGV0925H - MGV0925N |



CODE
MGV0925HM

Price list: **4,385 €**

KEY FEATURES

- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- EcoB - Boiler isolation

SPECIFICATIONS

| | |
|------------------------|------------------------------|
| Dimensions (H xW x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 2800 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● MGV0925HM - MGV0925NM |

LA VETRO 2 GROUPS POWERED



CODE
MGV0925HP

Price list: **4,408 €**

KEY FEATURES

- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3700 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0925HP - MGV0925NP



CODE
MGV0925HPI

Price list: **4,464 €**

KEY FEATURES

- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- With cup warmer

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3700 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● |

MGV0925HPI - MGV0925NPI

la Vetro

LA VETRO 2 GROUPS POWERED



CODE
MGV0926HP

Price list: **4,613 €**

KEY FEATURES

- 4 programmable coffee doses
+ continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|------------------------|-------------------------------|
| Dimensions (H xW x D) | 470 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3700 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● MGV0926HP - MGV0926N P |

la Vetro

LA VETRO 2 GROUPS TALL CUP



CODE
MGV0926HTP

Price list: **4,767 €**

KEY FEATURES

- 4 programmable coffee doses
+ continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|------------------------|--------------------------------|
| Dimensions (H xW x D) | 530 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 3700W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 55 |
| Colors | ○ ● MGV0926HTP - MGV0926NTP |

LA VETRO 3 GROUPS



CODE
MGV0935HP

Price list: **5,074 €**

KEY FEATURES

- 4 programmable coffee doses
+ continuous button per group
- Quarter turn tap mechanism

SPECIFICATIONS

| | |
|------------------------|------------------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4800 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● MGV0935HP - MGV0935NP |



CODE
MGV0935HPI

Price list: **5,248 €**

KEY FEATURES

- 4 programmable coffee doses
+ continuous button per group
- Quarter turn tap mechanism
- With cup warmer

SPECIFICATIONS

| | |
|------------------------|--------------------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4800 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● MGV0935HPI - MGV0935NPI |

LA VETRO 3 GROUPS



CODE
MGV0935HPM

Price list: **5,279 €**

KEY FEATURES

- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- EcoB - Boiler isolation

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4800 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0935HPM - MGV0935NPM



CODE
MGV0936HP

Price list: **5,330 €**

KEY FEATURES

- 4 programmable coffee doses + continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|------------------------|----------------------|
| Dimensions (H xW x D) | 470 x 930 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4800 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |

MGV0936HP - MGV0936NP

la Vetro

LA VETRO 3 GROUPS TALL CUP



CODE
MGV0936HTP

Price list: **5,638 €**

KEY FEATURES

- 4 programmable coffee doses
+ continuous button per group
- Quarter turn tap mechanism
- LED in side panels with RGB colour

SPECIFICATIONS

| | |
|-------------------------|----------------------|
| Dimensions (H xW x D) | 530 x 760 x 530 mm |
| Voltage | 220-230 V / 50-60 Hz |
| Maximum absorbed power | 4800 W |
| Boiler capacity | 18 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 66 |
| Colors | ○ ● |
| MGV0936HTP - MGV0936NTP | |

La Nera

LA NERA 1 GROUP



CODE
CODE MGR091N

Price list: **3,127 €**

KEY FEATURES

- 4 programmable dose selections and continuous button
- Ergonomic steam and hot water taps that are easy to use
- Unique color formed by stainless steel and black

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H xW x D) | 420 x 450 x 520 mm |
| Voltage | 230 V / 50 - 60 Hz |
| Maximum absorbed power | 2700 W |
| Boiler capacity | 5 l |
| Steam outlet | 1 |
| Hot water outlet | 1 |
| Weight | 35 |
| Color | ● |

La Nera

LA NERA 2 GROUPS



CODE
MGR092N

Price list: **3,988 €**

KEY FEATURES

- 4 programmable dose selections and continuous button for each group
- Ergonomic steam and hot water taps that are easy to use
- Unique color formed by stainless steel and black

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H xW x D) | 420 x 730 x 530 mm |
| Voltage | 230 V / 50 - 60 Hz |
| Maximum absorbed power | 2800 W |
| Boiler capacity | 13 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 46 |
| Color | ● |

La Nera

LA NERA 2G COMPACT



CODE
MGH092N

Price list: **3,988 €**

KEY FEATURES

- 4 programmable dose selections and continuous button for each group
- Ergonomic steam and hot water taps that are easy to use
- Unique color formed by stainless steel and black

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H xW x D) | 420 x 570 x 530 mm |
| Voltage | 230 V / 50 - 60 Hz |
| Maximum absorbed power | 3200 W |
| Boiler capacity | 8 l |
| Steam outlet | 2 |
| Hot water outlet | 1 |
| Weight | 46 |
| Color | ● |

Ruby

RUBY 1G COMPACT



CODE CGG091A10N
WATER TANK

Price list: **2,009 €**

KEY FEATURES

- For small offices or coffee break areas. Available in black colour and inbuilt tank version
- Easy to fill water tank
- Easy to remove drip tray with “full” indicator
- No direct water connection needed

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H xW x D) | 370 x 310 x 510 mm |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 1640 W |
| Boiler capacity | 1.5 l |
| Water tank | 3 l |
| Pump | Vibration pump |
| Weight | 18 kg |
| Color | ● |

Ruby

RUBY PRO 1 GROUP



CODE CGG091A50N
WATER TANK

Price list: **2,399 €**

KEY FEATURES

- Ideal for offices or small canteens
- Easy to fill water tank
- Easy to remove drip tray with “full” indicator
- No direct water connection needed

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H x W x D) | 370 x 430 x 510 mm |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2640 W |
| Boiler capacity | 5 l |
| Water tank | 3 l |
| Pump | Vibration pump |
| Weight | 25 kg |
| Color | ● |



CODE CGG091D50N
DIRECT WATER

Price list: **2,399 €**

KEY FEATURES

- High-quality espresso machine
- Durable and long-lasting
- Compact and powerful
- Uses group heads, filter holders and solenoids found on professional machines

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H x W x D) | 370 x 430 x 510 mm |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2640 W |
| Boiler capacity | 5 l |
| Direct water | Yes |
| Pump | Rotary pump |
| Weight | 25 kg |
| Color | ● |

RUBY PRO 2 GROUPS



CODE CGG092A50N
WATER TANK

Price list: **3,198 €**

KEY FEATURES

- High-quality espresso machine
- Durable and long-lasting
- Compact and powerful
- Uses group heads, filter holders and solenoids found on professional machines

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H x W x D) | 370 x 570 x 510 mm |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2640 W |
| Boiler capacity | 6.5 l |
| Water tank | 5l |
| Pump | Vibration pump |
| Weight | 33 kg |
| Color | ● |



CODE CGG092D50N
DIRECT WATER

Price list: **3,198 €**

KEY FEATURES

- High-quality espresso machine
- Durable and long-lasting
- Compact and powerful
- Uses group heads, filter holders and solenoids found on professional machines

SPECIFICATIONS

| | |
|------------------------|--------------------|
| Dimensions (H x W x D) | 370 x 570 x 510 mm |
| Voltage | 230 V / 50 Hz |
| Maximum absorbed power | 2640 W |
| Boiler capacity | 6.5 l |
| Direct water | Yes |
| Pump | Rotary pump |
| Weight | 33 kg |
| Color | ● |

ACCESSORIES

| | | |
|---------------|--|--------------------|
| NT0021 | CUP RAILS La Nera 2GR Compact | 67 euros |
| 9V0110 | G-CLEANER - AUTOMATED FILTER HOLDER CLEANER WITH TUBE TO COLLECT GROUNDS | 1,220 euros |

The following filter holder kits are available for Vetro, La Nera, La Dea and Ruby:

| | | |
|----------------|---|------------------|
| NT0949 | FILTER HOLDER - KIT CAPSULES CAFFITALY® | 246 euros |
| NT1013S | FILTER HOLDER - KIT CAPSULES (DOUBLE DOSE) CAFFITALY® | 246 euros |
| NT0991 | FILTER HOLDER - KIT CAPSULES NESPRESSO® | 272 euros |
| NT1036S | FILTER HOLDER - KIT CAPSULES NESPRESSO® (PROFESSIONAL DISC) | 246 euros |
| NT1005S | FILTER HOLDER - KIT CAPSULES ESPRESSO POINT® | 262 euros |
| NT1022S | FILTER HOLDER - KIT CAPSULES LAVAZZA BLUE® | 236 euros |
| NT1026S | FILTER HOLDER - KIT CAPSULES (DOUBLE DOSE) LAVAZZA BLUE® | 246 euros |
| NT1037S | FILTER HOLDER - KIT CAPSULES LAVAZZA® ECO CAPS | 241 euros |
| NT1039S | FILTER HOLDER - KIT CAPSULES HAUSBRANDT® | 277 euros |

* The trademarks mentioned above are not the property of EVOCA S.p.A. or any of the companies of EVOCA Group.



G-CLEANER
Code 9V0110



Caffitaly®
Code NT0949



Nespresso®
Code NT0991



Espresso Point®
Code NT1005S



Lavazza Blue®
Code NT1022S

GRINDERS



PRICE LIST 2026

G10 EVO

CODE PGC051

Price list: **2,266 €**



KEY FEATURES

- It has a 3.5" LCD touchscreen that can be customised with up to two images via USB
- Ergonomic hopper and tamper
- Guaranteed for correct grinding up to 1,200 kg, this high-performance motor also features cleaning control and blade replacement warning
- It is equipped with long-life flat steel blades, which can grind up to about 1.200 Kg of coffee and always ensure the greatest precision
- Precise and simple adjustments can be made
- Hopper safety microswitch
- Upper hatch to clean coffee conduits top-down with supplied brush
- USB port
- Low noise level

SPECIFICATIONS

| | |
|------------------------|--|
| Dimensions (H x W x D) | 629 x 193 x 369 mm |
| Weight | 16 Kg |
| Power | 525 W |
| Revolutions | 1250 rpm / 50-60 Hz |
| Hopper capacity | 1.2 Kg |
| Grinding blades (ø) | 64 mm |
| Colors |  PGC051A - PGC051H - PGC051N |

G4



G4

CODE PGW002H

Price list: **1,100 €**

KEY FEATURES

- Premium 64mm stainless steel flat burr
- Integrated cooling fan
- Quick-start functionality
- Versatile pre-programmed settings
- Intuitive tact grinding switch
- Adjustable grind outlet and portafilter fork anti-static and clumping

SPECIFICATIONS

| | |
|------------------------|--------------------------|
| Dimensions (H x W x D) | 390 x 177 x 470 mm |
| Weight | 12.5 Kg |
| Power | 380-550 W |
| Revolutions | 220-240 V ~ /50-60 Hz |
| Hopper capacity | 1.2 Kg |
| Grinding blades (ø) | 64 mm |
| Colors | ○ ● PGW002H - PGW002N |

G6



G6

CODE PGW001H

Price list: **1,380 €**

KEY FEATURES

- Upgraded 75mm stainless steel flat burr
- Increase grinding speed
- Integrated cooling fan
- Versatile pre-programmed settings
- Expanded hopper capacity
- Quick-start functionality
- Intuitive tact grinding switch
- Adjustable grind outlet and portafilter fork anti-static and clumping

SPECIFICATIONS

| | |
|------------------------|--------------------------|
| Dimensions (H x W x D) | 390 x 177 x 650 mm |
| Weight | 15.5 Kg |
| Power | 550-650 W |
| Revolutions | 220-240 V ~ /50-60 Hz |
| Hopper capacity | 1.2 Kg |
| Grinding blades (ø) | 75 mm |
| Colors | ○ ● PGW001H - PGW001N |

ACCESSORIES

| | | |
|---------|---|-----------|
| NT0929 | ADAPTER FOR COFFEE TINS (Ø 57 MM) G10 EVO | 180 euros |
| RQA010H | ○ Q.PRESS - AUTOMATIC TAMPER (Ø 57 mm) | 974 euros |
| RQA010N | ● Q.PRESS - AUTOMATIC TAMPER (Ø 57 mm) | 974 euros |
| RQA011H | ○ Q.PRESS - AUTOMATIC TAMPER (Ø 52 mm) | 974 euros |
| RQA011N | ● Q.PRESS - AUTOMATIC TAMPER (Ø 52 mm) | 974 euros |




Q.PRESS
Code RQA010H - RQA011H



Q.PRESS
Code RQA010N - RQA011N

MERCHANDISING

| | | |
|--------|--|----------|
| 951708 | ESPRESSO CERAMIC CUP WITH SAUCER (6 PCS) | 55 euros |
| 951709 | CAPPUCCINO CERAMIC CUP WITH SAUCER (6 PCS) | 61 euros |



CONDITIONS OF SALE



PRICE LIST 2026

CONDITIONS OF SALE

1. SCOPE

These general conditions of sale (the “**General Conditions**”) apply to and form an integral part of:

- i) all quotations and offers made by EVOCA Spa, with registered office in Via Roma no. 24, Valbrembo, Italy, number of registration with the Companies Register of Bergamo 05035600963 (the “**Company**”) to the Buyer (as identified below);
- ii) all acceptances, acknowledgments and confirmations of the Company to Buyer’s orders; and
- iii) all contracts relating to the sale by the Company and purchase by the Buyer of goods and services (hereinafter each and all referred to as, individually, “**Contract**”, and, jointly, “**Contracts**” and the goods and services as the “**Products**”), unless and to the extent the Company explicitly agrees otherwise in writing.

Any terms and conditions set forth on any document issued by Buyer either before or after issuance of any document by the Company setting forth or referring to these General Conditions are hereby explicitly rejected and disregarded by the Company, and any such terms shall be wholly inapplicable to any sale made by the Company to Buyer and shall not be binding in any way on the Company.

Company’s offers are open for acceptance within the period stated by the Company in the offer or, when no period is stated, within thirty (30) days from the date of the offer, but any offer may be withdrawn or revoked by the Company at any time prior to the receipt by the Company of Buyer’s acceptance thereof.

2. DURATION

The General Conditions are valid for all the Contracts issued or entered into on, after and before the execution of the General Conditions and for the entire duration of the Contracts, unless otherwise provided for herein.

3. PRICES

Prices in any offer, confirmation or Contract are in Euros, based on delivery Free Carrier (“FCA”) (INCOTERMS latest version) at the Company’s manufacturing facility or other facility designated by the Company, unless agreed otherwise in writing between the Buyer and the Company and do not include any taxes, duties or similar levies, now or hereafter enacted, applicable to the Products or any other expenses. The Company will add taxes, duties and similar levies to the sales price where Company is required or enabled by law to pay or collect them and these will be paid by Buyer together with the price.

4. PAYMENT AND RETENTION OF TITLE

Unless agreed otherwise between the Company and the Buyer in writing, the Company may invoice the Buyer for the price of the Products. Net payment is due in advance for delivery unless agreed otherwise between the parties in writing. All payments shall be made to the bank account and data indicated by the Company.

If deliveries are made in installments, each installment may be separately invoiced and shall be paid for when due. No discount is allowed for early payment unless agreed to in writing by Company. In addition to any other rights and remedies the Company may have under applicable law, interest will accrue on all late payments as per article 5 of the Legislative Decree 231/2002, at a rate equal to the official ECB rate plus 8% or, if that exceeds the maximum rate permitted by the applicable law, this latter, from the due date until payment in full.

All deliveries of Products agreed to by the Company shall at all times be subject to credit approval of the Company. If, in Company’s judgment, Buyer’s financial condition at any time does not justify production or delivery of Products on the above payment terms, the Company may require full or partial payment in advance or other payment terms as a condition to delivery, and the Company may suspend, delay or cancel any credit, delivery or any other performance by the Company.

The Products subject to sale and purchase agreement do not become property of the Buyer before the completion of the payment of the price according to art. 1523 and following of the Italian Civil Code. In case of total or partial seizure or foreclosure of the Products, the Buyer would have to immediately inform the Company so the latter could be entitled to enforce against the third party the reservation of title: the related expenses would be sustained by the Buyer. The Buyer, if required, undertakes to maintain on the Products, until the price will not be fully paid, a distinctive mark attesting the reservation of title in favour of the Company itself.

In the event of any default by Buyer in the payment of any fees or charges due, or any other default by Buyer, the Company shall have the right to refuse performance and/or delivery of any Products until payments are brought current and Company may suspend, delay or cancel any credit, delivery or any other performance by the Company. Such right shall be in addition to, and not in lieu of, any other rights and remedies available under the General Conditions, the Contract or the applicable law.

5. DELIVERY AND QUANTITIES

The products will be delivered FCA (Incoterms latest version) at the place designated by the Company save for different written agreement. Delivery dates communicated or acknowledged by the Company are approximate only, and the Company shall not be liable for, nor shall the Company be in breach of its obligations to Buyer, for any delivery made within a reasonable time before or after the communicated delivery date. The Company agrees to use all commercially reasonable efforts to meet the delivery dates communicated or acknowledged by it on

CONDITIONS OF SALE

the condition that Buyer provides all necessary order and delivery information sufficiently prior to such delivery date.

The Buyer will immediately notify the Company in writing the failure of the delivery giving a thirty (30) days period to remedy. If the Company does not deliver within such thirty (30) day period, Buyer's will have the rights to cancel the affected and undelivered portions of the related Contract.

Unless otherwise agreed and specified, all risks and liabilities inherent to the Products sold shall pass to Buyer at the time of delivery of the Products as defined above.

If Buyer fails to take delivery of Products ordered, then the Company may deliver the Products in consignment at Buyer's cost.

In the event Company's production is curtailed for any reason, the Company shall have the right to allocate its available production and Products, in its sole discretion, among its various customers and as a result may sell and deliver to Buyer fewer Products than specified in the Contract, as the case may be, without being responsible or liable to Buyer for any damage resulting therefrom.

6. ACCEPTANCE

At delivery, the Buyer shall verify that the Products correspond to the order and to the delivery documentation.

All claims for missing or excess quantity, delivery errors, transport damages, or other non-conformities that are immediately ascertainable upon delivery must be notified in writing within eight (8) business days from the delivery date, detailing the non-compliance.

Within a reasonable time, the Company may, at its sole discretion, verify the Buyer's claims and, without obligation, if it deems them founded, may adopt any corrective measures it considers appropriate (including adjustments, replacement, or credit notes).

Such corrective measures shall be undertaken as a purely discretionary, ex gratia remedy and without constituting or implying any warranty, waiver, admission of liability, or assumption of liability on the part of the Company.

If no written claim is submitted within the above period, the Products shall be deemed accepted by the Buyer. For the avoidance of doubt, acceptance under this Article 6 applies to all matters that are or could have been ascertained upon delivery, and Buyer shall bear all risks for any defects or non-conformities not immediately ascertainable upon delivery, to the maximum extent permitted by applicable mandatory law.

7. USE OF THE PRODUCTS

Buyer acknowledges that the Products sold by the Company are designed and intended for a professional use in a professional environment (i.e. business, commercial and public locations such as hotels, bars, restaurants, cafes, cafeterias, bakeries, factories, taverns, conference and shopping centers, offices, rail and gasoline stations, expressly excluding any home or domestic locations).

8. FORCE MAJEURE

Either party shall not be liable for any failure or delay in performance if such failure or delay results, as to the Company, from interruptions in the Product manufacturing process or, as to both parties, by Force Majeure as defined below and/or by the applicable law.

"Force Majeure" means the occurrence of an event or circumstance ("Event of Force Majeure") that prevents or impedes a party from performing one or more of its contractual obligations under the Contract, if and to the extent that that party proves: [a] that such impediment is beyond its reasonable control; and [b] that it could not reasonably have been foreseen at the time of the conclusion of the Contract; and [c] that the effects of the impediment could not reasonably have been avoided or overcome by the affected party.

In the absence of proof to the contrary, the following events affecting a party shall be presumed to be an Event of Force Majeure: (i) war (whether declared or not), hostilities, invasion, act of foreign enemies, extensive military mobilisation; (ii) civil war, riot, rebellion and revolution, military or usurped power, insurrection, act of terrorism, sabotage or piracy; (iii) currency and trade restriction, embargo, sanction; (iv) act of authority whether lawful or unlawful, compliance with any law or governmental order, expropriation, seizure of works, requisition, nationalisation; (v) plague, epidemic, natural disaster or extreme natural event; (vi) explosion, fire, destruction of equipment, prolonged break-down of transport, telecommunication, information system or energy, shortages of labour or raw materials; (vii) general labour disturbance such as boycott, strike and lock-out, go-slow, occupation of factories and premises.

Should an Event of Force Majeure occur, the performance of the relevant party of the Contract will be suspended for the duration of the Event of Force Majeure, without the party affected by the Event of Force Majeure being responsible or liable to the other party for any damage resulting therefrom.

In the event that the Event of Force Majeure extends for a period of three (3) consecutive months, the Company shall be entitled to terminate all or any part of the Contract without any liability towards the other party.

9. RIGHTS IN SOFTWARE, DOCUMENTATION AND INTELLECTUAL PROPERTY

Subject to the provisions set forth herein, the sale by the Company of any Products implies the non-exclusive and non-transferable limited license to Buyer under any of Company's and/or its affiliates' intellectual property rights ("Company's IPR") used in the Products to use and resell the Products as sold by Company to Buyer.

To the extent that software and/or documentation is embedded in or delivered with any Products sold by Company to Buyer, the sale of such Products shall not constitute the transfer of ownership rights or title in such software and/or documentation to Buyer, but, subject to

CONDITIONS OF SALE

the provisions set forth herein, shall only imply a non-exclusive and non-transferable license to Buyer under Company's IPR used in the software to use such software and/or documentation in conjunction with and as embedded in or delivered with the Products as supplied by Company to Buyer.

Notwithstanding anything to the contrary herein, these General Conditions shall not be construed as conferring any right, license or immunity, either directly or by implication, estoppel or otherwise to Buyer or any third party under any Company's IPR or intellectual property rights of any third party other than explicitly granted under these General Conditions.

Buyer shall not: (a) modify, adapt, alter, translate, or create derivative works from any software residing in or provided by Company in conjunction with any Products; (b) assign, sublicense, lease, rent, loan, transfer, disclose, or otherwise make available such software; (c) merge or incorporate such software with or into any other software; or (d) reverse assemble, decompile, disassemble, or otherwise attempt to derive the source code for such software without written authorization from Company except as explicitly allowed under applicable law. Buyer shall reproduce, without any amendments or changes thereto, any proprietary rights legends of Company and/or its affiliates or its third party suppliers in any software or documentation provided by Company. If and to the extent copyright in the software is owned by third parties, the license terms of these third parties shall apply instead of the present General Conditions to such third party software.

10. WARRANTY

The Buyer acknowledges and accepts that, in amendment of Articles 1490 and 1491 of the Italian Civil Code, the Company is not bound by any warranty for defects of the Products sold, nor by any other warranty, whether express or implied (including, without limitation, fitness for a particular purpose, merchantability, or otherwise).

Any corrective action possibly taken by the Company pursuant to Article 6 (Acceptance) shall not constitute any waiver of this exclusion and shall not imply any assumption of liability or warranty.

The Parties acknowledge that the Product prices reflect this exclusion of warranty and the related allocation of risks between Buyer and Company.

For the avoidance of doubt, the foregoing sets forth an express exclusion of any warranty and of any obligation to repair, replace or refund Products for defects or non-conformities, except as may be required by applicable mandatory law. Any liability of the Company, if any, shall be only as expressly set forth in Articles 6, 11 and 12 and under applicable mandatory law, and nothing in these General Conditions shall be construed as reinstating any warranty excluded herein.

11. INTELLECTUAL PROPERTY RIGHTS INDEMNITY

The Company, at its sole expense shall: (i) defend any legal proceeding brought by a third party against Buyer to the extent that the proceeding includes a claim that any Product as furnished by the Company under a Contract directly infringes the claimant's patent, copyright, trademark, or trade secret; and (ii) hold Buyer harmless against damages and costs awarded by final judgment in such proceeding to the extent directly and solely attributable to such infringement.

The Company shall have no obligation or liability to Buyer:

- if the Company is not: (i) promptly notified in writing of any such claim; (ii) given the sole right to control and direct the investigation, preparation, defense and settlement of such claim, including the selection of counsel; and (iii) given full reasonable assistance and cooperation by Buyer in such investigation, preparation, settlement and defense;
- if the claim is made after a period of three (3) years from the date of delivery of the Product;
- to the extent that any such claim arises from: (i) modification of the Product if the claim of infringement would have been avoided by use of the unmodified Product; or (ii) design, specifications or instructions furnished by Buyer;
- to the extent the claim is based directly or indirectly upon the quantity or value of products manufactured by means of the Product or upon the frequency of use or the amount of use of the Product irrespective of whether such claim alleges that the Product as such, or its use, infringes or contributes to the infringement of any intellectual property rights of the claimant;
- for unauthorized use or distribution of the Product or use beyond the specifications of the Product;
- to the extent any such claim arises from Buyer's manufacture, use, sale, offer for sale, importation or other disposition or promotion of the Product after Company' notice to Buyer that Buyer should cease any such activity, provided such notice shall only be given if the Product is, or in Company' opinion is likely to become, the subject of such a claim of infringement;
- for any costs or expenses incurred by Buyer without Company' prior written consent;
- to the extent the claim is based on any prototypes, or Open Source Software, or software provided by Buyer or any of its designees to Company and/or its affiliates;
- to the extent any such claim arises from any infringement or alleged infringement of third party's intellectual property rights covering a standard set by a standard setting body and/or agreed between at least two companies;
- for infringement of any third party's intellectual property rights covering the manufacture, testing or application of any assembly, circuit, combination, method or process in which the Product may have been used; or

CONDITIONS OF SALE

- for infringement of any third party's intellectual property rights with respect to which Company or any of its affiliates has informed Buyer, or has published (in a datasheet or other specifications concerning the Product or elsewhere) a statement, that a separate license has to be obtained.

For such claims of infringements referred to in this article 11, Buyer shall indemnify Company and its affiliates against and hold them harmless from any damages or costs arising from or connected with such claims and shall reimburse all costs incurred by Company and its affiliates in defending any claim, demand, suit or proceeding for such infringement, provided Company gives Buyer prompt notice in writing of any such suit or proceeding for infringement.

If any Product is, or in Company's opinion is likely to become, the subject of a claim of infringement as referred to under article 11 or if the Company receives from a third party claiming infringement of third party Intellectual property rights in relation to any of the Products, the Company shall have the right, without obligation or liability and at its sole option, to: (i) procure for Buyer the right to continue to use or sell the Product; (ii) provide replacement Product with a non-infringing product, or (iii) modify the Product in such a way as to make the modified Product non-infringing; or (iv) repurchase such Product from the Buyer for the initial price paid by Buyer less reasonable depreciation; or (v) suspend or discontinue supplies to Buyer of the Products or parts to which such notice relates or (vi) terminate any Contract to the extent related to such Product.

Subject to the exclusions and limitations set forth in article 10 of the General Conditions, the foregoing states Company's entire liability and obligation to Buyer and Buyer's sole remedy with respect to any actual or alleged infringement of any intellectual property rights or any other proprietary rights of any kind.

12. LIMITATION OF LIABILITY

THE COMPANY SHALL NOT BE LIABLE FOR ANY LOST PROFITS, LOST SAVINGS, LOSS OF REPUTATION, LOSS OF GOODWILL, INDIRECT, INCIDENTAL, PUNITIVE, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE CONTRACT OR THE SALE OF ANY PRODUCTS OR SERVICES BY THE COMPANY OR THE USE THEREOF WHETHER OR NOT SUCH DAMAGES ARE BASED ON TORT, WARRANTY, CONTRACT OR ANY OTHER LEGAL THEORY – EVEN IF COMPANY HAS BEEN ADVISED, OR IS AWARE, OF THE POSSIBILITY OF SUCH DAMAGES.

EXCEPT FOR THE CASE OF WILLFUL MISCONDUCT OR GROSS NEGLIGENCE, THE OVERALL RESPONSIBILITY ATTRIBUTABLE TO THE COMPANY AGAINST THE BUYER ON THE BASIS OF THE CONTRACT OR THESE GENERAL CONDITIONS WILL NOT EXCEED THE SUM CORRESPONDING TO 10% OF THE TOTAL AMOUNT PAID BY THE BUYER TO THE COMPANY IN THE 12 MONTHS PRIOR TO RECEPTION OF THE COMPLAINT.

Nothing in this Article 12 (or elsewhere in these General Conditions) shall be construed as granting, reinstating, or implying any warranty, representation, or remedy for defective or non-conforming Products, all of which are expressly excluded under Article 10, except as may be required by applicable mandatory law.

Any Buyer's claim for damages (other than claims duly notified under Article 6) must be brought by Buyer within ninety (90) days of the date of the event giving rise to any such claim, and any lawsuit relative to any such claim must be filed within one (1) year of the date of the claim. Any claims that have been brought or filed not in accordance with the preceding sentence are null and void.

The limitations and exclusions set forth above in this article 12 shall apply only to the extent permitted by applicable mandatory law.

13. CONFIDENTIALITY

Each of the Parties undertakes to keep confidential and not to disclose to third parties, directly or indirectly, without the prior written consent of the other party, all information of a commercial, technical, financial, strategic, operational or other nature, exchanged or learned under this agreement, either verbally or in writing, and which have been indicated as confidential or which, by their nature or the context in which they were disclosed, should reasonably be considered as such ("Confidential Information").

Confidential Information shall not include information that:

- a. are already in the public domain at the time of their disclosure or become so subsequently without violation of these General Conditions;
- b. were already legitimately in the possession of a party before their disclosure and the party can provide written evidence thereof;
- c. have been legitimately received from a third party not bound by an obligation of confidentiality relating to the use or communication of such information;
- d. are independently developed by a party without violation of these General Conditions.

The Confidential Information may be used by the parties exclusively for the execution of the obligations deriving from these General Conditions and may not be disclosed to third parties without the prior written authorization of the party to which it belongs.

Each party undertakes to take all reasonable measures to protect the Confidential Information, including the involvement only of employees, consultants or collaborators who need to know such information for the execution of these General Conditions, and who are bound by confidentiality obligations equal to those provided here.

In the event that, to comply with the provisions of the law or a lawful request of any competent authority, agency or court, either party is obliged to disclose Confidential Information, it must inform the other party in advance (to the extent permitted by law) and the parties will

CONDITIONS OF SALE

agree, to the maximum extent, the content and methods of such disclosure or, if the requirements are met, request a precautionary order or other remedy to protect the Confidential Information.

The confidentiality obligation established by this clause will remain in force for the entire duration of these General Conditions and for a period of 5 (five) years from its termination or resolution, regardless of the cause thereof.

14. SANCTIONS AND EXPORT CONTROLS

Buyer understands that certain transactions of the Company are subject to sanctions and export control laws and regulations, including but not limited to the UN, EU and the USA export control laws and regulations, which prohibit sale, export or diversion of certain products, services and technology to certain countries (e.g. Russia and Belarus) or to sanctioned subjects ("**Sanctions and Export Regulations**").

Should the sale or delivery of the Products be or become subject to the granting of an export license or otherwise restricted or prohibited under the Sanctions and Export Regulations, Company may suspend the execution of its obligations until such license is granted or for the duration of such restrictions or prohibitions. Furthermore, Company may even terminate the relevant Contract in all cases without incurring any liability towards the Buyer or third parties.

Buyer warrants that it will comply in all respects with the export, re-export and transfer restrictions set forth in such Sanctions and Export Regulations or in export licenses (if any) for every Product supplied to Buyer and that will impose them on any third party to which the Products are sold, transferred or re-exported.

Buyer shall take all actions that may be reasonably necessary to ensure that no customer/purchaser or end-user contravenes such Sanctions and Export Regulations.

Buyer shall indemnify Company against any and all direct, indirect and punitive damages, loss, costs (including attorney's fees and costs) and other liability arising from claims resulting from Buyer's or its customers' breach or non-compliance with this article.

Buyer acknowledges that the obligations contained in these General Conditions shall survive the termination of any Contract of other arrangement under which the Products were provided to Buyer. In addition, in the event of any conflict in the terms provided in these General Conditions with any other document entered into between Buyer and Company, Buyer understands that the terms of these General Conditions shall control and be binding upon Buyer.

15. EXPORT TO RUSSIA AND BELARUS OF CERTAIN PRODUCTS

The Buyer shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any Products supplied under or in connection with the Contracts that fall under the scope of Article 12 octies of Council Regulation (EU) No 833/2014.

The Buyer shall not sell, export or re-export, directly or indirectly, to Belarus or for use in Belarus any Products supplied under or in connection with the Contracts that fall under the scope of Article 8 octies of Council Regulation (EU) No 765/2006.

The Buyer shall undertake its best efforts to ensure that the purpose of the first paragraph is not frustrated by any third parties further down the commercial chain, including by possible resellers.

The Buyer shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of the first paragraph.

Any violation of the previous paragraphs shall constitute a material breach of an essential element of the Contracts, and the Company shall be entitled to seek the termination of the Contracts.

The Buyer shall immediately inform the Company about any problems in applying the previous paragraphs, including any relevant activities by third parties that could frustrate the purpose of the first paragraph. The Buyer shall make available to the Company information concerning compliance with the obligations under the previous paragraphs within two weeks of the simple request of such information.

16. ASSIGNMENT AND SETOFF

Buyer shall not assign any rights or obligations under the Contracts without the prior written consent of Company. Buyer shall have no right to withhold or reduce any payments or to offset existing and future claims against any payments due for Products sold under the Contracts or under any other agreement that Buyer may have with Company or any of its affiliates may have and agrees to pay the amounts hereunder regardless of any claimed offset which may be asserted by Buyer or on its behalf.

17. ANTI-BRIBERY

Buyer agrees that it now and in future shall comply with national law on prevention of bribery, as well as any other law deriving from ratification of the OECD Convention on Combating Bribery of Foreign Public Officials in International Business Transactions (including the US Foreign Corrupt Practices Act). In general, it is illegal to bribe or make a corrupt payment to a public official for the purpose of obtaining or retaining business, directing business to any person, or securing any improper advantage.

CONDITIONS OF SALE

The Buyer represents and warrants to be, for all the duration of the Contracts, compliant with all applicable legislation, regulations on combating money laundering, terrorist financing, tax evasion and facilitation of tax evasion and to have internally adopted appropriate policies, procedures and internal regulations aimed at preventing the relevant risks and mitigating the related effects.

Buyer's failure to comply with any provision of this article is ground for immediate termination of any Contract and of these General Conditions by Company (or its respective affiliate(s)), without Company' incurring any liability towards Buyer. In the event of such termination, (i) Company shall be under no obligation to supply any Product to Buyer, (ii) Buyer shall be responsible for and indemnify Company for any damages, claims, penalties or other losses (including attorneys' fees) that may be asserted against or incurred by Company as a result of Buyer's breach of this article; and (iii) Company shall be entitled to any other remedies available at law or in equity. The terms and conditions of this article shall survive any expiration or termination of these General Conditions.

Company will only do business with those companies that respect the law and adhere to ethical standards and principles and in particular the Buyer undertakes to respect the Code of Ethics of EVOCA GROUP, to which the Company belongs, as published on the Company's web site at the address <https://www.evocagroup.com/en/company/governance> or at the different address that should be subsequently decided by the Company and that the Buyer will regularly monitor to check possible updates of the same Code of Ethics. Should the Company receive any information to the contrary, the Company will inform thereof the Buyer and Buyer agrees to cooperate and provide whatever information is necessary to allow Company to decide whether there is any basis to any allegation received and whether the Contract and these General Conditions should continue. Such information includes, but is not limited to, books, records, documents, or other files.

18. APPLICABLE LAW AND COMPETENT COURT

All proposals, offers, confirmations and Contracts are regulated by the Italian laws, with express waiver to the application of conflict of law rules.

All disputes arising out of or in connection with any Contract shall first be attempted by the Buyer and the Company to be settled through consultation and negotiation in good faith in a spirit of mutual cooperation. All disputes which cannot be resolved amicably shall be submitted to the exclusive jurisdiction of the courts of Milan, Italy, provided that the Company shall always be permitted to bring any action or proceedings against Buyer in any other court of competent jurisdiction.

The United Nations Convention on Contracts for the International Sale of Goods shall not apply to any offer, confirmation or Contract. Nothing in this article shall be construed or interpreted as a limitation on either Company's or Buyer's right under applicable law for injunctive or other equitable relief or to take any action to safeguard its possibility to have recourse on the other party.

19. BREACH AND TERMINATION

Without prejudice to any rights or remedies the Company may have under the General Conditions, the Contracts or at law, the Company may, by written notice to the Buyer, terminate with immediate effect a Contract or any part thereof, in accordance with the provisions of article 1456 of the Italian Civil Code, without any liability whatsoever and without excluding the possibility of asking for damages to the Buyer, in case Buyer violates or breaches any of the provisions of the General Conditions and in particular:

- article 3 (Prices);
- article 4 (Payment and Retention of title);
- article 9 (Rights In Software, Documentation and Intellectual Property);
- article 13 (Confidentiality);
- article 14 (Sanctions and Export Controls);
- article 15 (Export to Russia and Belarus);
- article 17 (Anti-Bribery, Anti-Money Laundering and Anti-Tax Evasion).

Furthermore, the Company shall be entitled to terminate with immediate effect a Contract or any part thereof, in accordance with the provisions of article 1456 of the Italian Civil Code, without any liability whatsoever and without excluding the possibility of asking for damages to the Buyer, in the following cases:

- any proceedings of insolvency, business crisis (including reorganization), liquidation or winding up are instituted against Buyer, whether filed or instituted by Buyer, voluntary or involuntary;
- a trustee or receiver is appointed over Buyer;
- any assignment is made for the benefit of creditors of Buyer; or
- the control or ownership of Buyer changes.

Upon occurrence of any of the events referred to the above paragraphs, all payments to be made by Buyer under the Contracts shall become immediately due and payable.

In the event of cancellation, termination or expiration of a Contract, the terms and conditions destined to survive such cancellation, termination or expiration shall so survive.

CONDITIONS OF SALE

20. PROCESSING OF PERSONAL DATA

The Parties undertake to comply with any obligation under Regulation (EU) 2016/679 of the European Parliament and of the Council on the “protection of natural persons with regard to the processing of personal data and on the free movement of such data” (hereinafter “GDPR”), as well as with the domestic legislations on such matter and with the rulings of the national Supervisory Authority for personal data protection.

21. MISCELLANEOUS

In the event that any provision(s) of these General Conditions shall be held invalid or unenforceable by a court of competent jurisdiction or by any future legislative or administrative action, such holding or action shall not negate the validity or enforceability of any other provisions thereof. In the event that any provision of these General Conditions shall finally be determined to be unlawful or unenforceable, such provision shall be deemed severed from these General Conditions, but every other provision shall remain in full force and effect, and in substitution for any such provision held unlawful or unenforceable, there shall be substituted a provision of similar import reflecting the original intent of the clause to the extent permissible under applicable law.

The failure on the part of either party to exercise, or any delay in exercising, any right or remedy arising from the General Conditions shall not operate as a waiver thereof; nor shall any single or partial exercise of any right or remedy arising there from preclude any other or future exercise thereof or the exercise of any other right or remedy arising from the General Conditions or by law.

THE BUYER

Name of the Buyer:

Name of the signatory:

Title of the signatory:

Date of signature:

Pursuant to article 1341, paragraph 2, of the Italian civil code, the Buyer declares to know and expressly accept the following clauses:

- 4) Payment and retention of title;
- 5) Delivery and Quantity;
- 6) Acceptance;
- 8) Force majeure;
- 10) Warranty;
- 11) Indemnity for Intellectual Property Rights;
- 12) Limitation of Liability;
- 14) Sanctions and Export Controls;
- 15) Export to Russia and Belarus;
- 16) Assignment and Setoff;
- 17) Applicable law and competent court.


THE BUYER

Name of the Buyer:

Name of the signatory:

Title of the signatory:

Date of signature:



GAGGIA MILANO. THE BRAND THAT GAVE COFFEE CREMA TO THE WORLD.

It was 1938 when Achille Gaggia, a bartender with a scientific mind, revolutionised the extraction of aroma from coffee beans by inventing espresso crowned with natural crema – a distinctive pleasure that has since captivated the world.

Today, Gaggia Milano's mission is to share the true Italian coffee experience across the globe, through machines defined by sophisticated design and craftsmanship.

Innovation, grounded in respect for tradition, is the driving force behind the entire range of professional machines. With cutting-edge technology and a forward-looking approach, Gaggia Professional continues to meet the needs of both industry professionals and discerning coffee lovers worldwide.

WWW.GAGGIAPROFESSIONAL.COM

GAGGIA
MILANO

EVOCA Spa - Via Roma 24 - 24030 Valbrembo, Bergamo - Italy
Tel. (+39) 035 606111 - www.evocagroup.com

EVOCA Spa reserves the right to change the product specifications according to a constantly evolving design policy.